

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Docket No.: MOH-P030006

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

By:  Date: April 28, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applic. No. : 10/825,749
Applicant : Hans-Jürgen Achtzehn, et al.
Filed : April 15, 2004
Title : Device for Inspecting Plant Parts Located Under Water
Docket No. : MOH-P030006
Customer No. : 24131

LETTER

Mail Stop: Missing Parts
Hon. Commissioner for Patents,
Alexandria, VA 22313-1450

Sir:


The above-mentioned new patent application was filed on April 15, 2004 without a signed oath or declaration, under the provision of 37 C.F.R. 1.53(f).

In accordance with the above-mentioned rule, enclosed herewith is the original signed declaration.

The undersigned hereby states that the application filed in the Patent and Trademark Office is the application which the inventor(s) executed by signing the declaration. MPEP 602 (8th ed., Aug. 2001).

The fee required for the late filing of an oath or declaration in the amount of \$130.00 is also enclosed.

Respectfully submitted,


GREGORY L. MAYBACK
REG. NO. 40,716

/av

Date: April 28, 2004
Lerner and Greenberg, P.A.
Post Office Box 2480
Hollywood, FL 33022-2480
Tel: (954) 925-1100
Fax: (954) 925-1101